

Conditions d'accessibilité

Accessibility conditions

Étant donné la longueur de l'escalier (70 marches), l'accès à l'intérieur de l'abri suppose un effort DÉCONSEILLÉ aux personnes souffrant de problèmes cardiaques importants, d'allergies, de problèmes respiratoires, de mobilité réduite, ou de douleurs aux pieds, jambes et hanches.

CETTE VISITE N'EST PAS NON PLUS CONSEILLÉE aux personnes souffrant de claustrophobie.

A l'intérieur de l'abri, se trouvent différents tronçons d'escalier équipés de rampes.

La température à l'intérieur de l'abri est de 20/21°C et le taux d'humidité est très élevé.

Mineurs non accompagnés ne sont pas autorisés.

Due to the length of the staircase (70 steps), access to the inside of the air-raid shelter is NOT RECOMMENDED for people with significant heart problems, with reduced mobility or with hip, leg or foot ailments.

Access is NOT RECOMMENDED for people with claustrophobia.

Inside the air-raid shelter there are different flights of stairs with banisters.

Indoor temperature is 20-21 °C and humidity is high.

ENTRADA
 ENTRANCE
 ACCÈS

EIXIDA
 SALIDA
 EXIT
 SORTIE

AUDIOVISUAL
 AUDIOVISUEL

